



## 3A. PAX8-PPAR STRUCTURE:




PAX8e7-PPARye1: AGA CCT ACC CCG TGG TGG CAG -- AAA TGA CCA TGG TTG ACA CAG PAX8e8-PPARye1: CGG GCC AGG CCC TCC TCT CAG -- AAA TGA CCA TGG TTG ACA CAG PAX8e9-PPARye1: CCA TCG CAG GCA TGG TGG CAG -- AAA TGA CCA TGG TTG ACA CAG

### 3 B. PAX8-PPAR7 mRNA:




#### 3 C. PAX8-PPARY PROTEIN:




# Figure 4


4A. PAX8-PPARy RTPCR:



#### B. PAX8-PPARγ IMMUNOHISTOCHEMISTRY:



anti-PPAR $\gamma$ 



anti-PPARγ + PPARγ peptide

4c.

THYROID NEOPLASM	RT-PCR	<b>IMH</b>
Folllicular Carcinoma	5/8	7/8
Follicular Adenoma	0/20	0/20
Papillary Carcinoma	0/10	0/10
Multi-nodular Hyperplasia	0/10	0/10

THYROID FOLLICULAR CARCINOMA: t(2;3)(q13;p25)---->PAX8-PPARY

PPARY

PAX8

DNA BINDING

TRANSACTIVATION LIGAND BINDING

**DNA BINDING** 

RXR DIMERIZATION

ACUTE PROMYELOCYTIC LEUKEMIA: t(15;17)(q22;q11-21) ----->PML-RAR &

**PML** 

DNA BINDING

**DNA BINDING** 

RAR

TRANSACTIVATION

RXR DIMERIZATION LIGAND BINDING

ALVEOLAR RHABDOMYOSARCOMA: t(2;13)(q35;q14) ----->PAX3-FKHR

PAX3

FKHR

DNA BINDING

TRANSACTIVATION

Figure 5

